

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**


1. (Currently Amended) A transparent acrylate pressure-sensitive adhesive comprising a filler, wherein the acrylate pressure-sensitive adhesive comprises a polyacrylate and polyacrylate-coated particles of silicate and/or of silica gel, the polyacrylate-coated particles of silicate and/or of silica gel having a size of not more than 50 nm.

2. (Currently Amended) The acrylate pressure-sensitive adhesive of claim 1, wherein the polyacrylate-coated particles of silicate and/or of silica gel have a size of not more than 10 to 30 nm.

3. (Currently Amended) The acrylate pressure-sensitive adhesive of claim 1, wherein the polyacrylate-coated particles of silicate and/or of silica gel are present with a weight fraction of 0.5 to 25 relative to the unfilled silicate/silica gel.

4. (Currently Amended) The acrylate pressure-sensitive adhesive of claim 1, wherein the polyacrylate is obtained from a comonomer composition comprising:

- a) acrylic acid and methacrylic acid derivatives of the formula (I),  
with a fraction of 70 to 100 percent by weight,



where  $\text{R}_1 = \text{H}$  or  $\text{CH}_3$  and  $\text{R}_2 = \text{H}$  or an alkyl chain having 2 to 20 carbon atoms, or stearyl (meth)acrylate or (meth)acrylic acid, and

- b) vinyl compounds comprising functional groups, with a fraction of 0 to ~~35~~ 30 percent by weight.

5. (Previously Presented) The acrylate pressure-sensitive adhesive of claim 4, wherein the vinyl compound is a maleic anhydride, a styrene, a styrene compound, a vinyl acetate, a (meth)acrylamide, an N-substituted (meth)acrylamide, a  $\beta$ -acryloyloxypropionic acid, a vinyl acetic acid, a fumaric acid, a crotonic acid, an aconitic acid, a dimethylacrylic acid, a trichloroacrylic acid, an itaconic acid, a hydroxyalkyl (meth)acrylate, an amino-containing (meth)acrylate, a hydroxyl-containing (meth)acrylate, a 2-hydroxyethyl (meth)acrylate, a 2-hydroxypropyl (meth)acrylate, and/or a 4-hydroxybutyl (meth)acrylate.

6. (Previously Presented) The acrylate pressure-sensitive adhesive of claim 4, wherein the vinyl compound is a double-bond-functionalized photoinitiator.

7. (Currently Amended) The acrylate pressure-sensitive adhesive of claim 1, wherein the polyacrylate-coated particles of silicate and/or of silica gel have been functionalized with a free-radical initiator.

8. (Canceled)

9. (Currently Amended) The acrylate pressure-sensitive adhesive of claim 8, wherein the polyacrylate of the pressure-sensitive adhesive and of the polyacrylate-coated particle coating are ~~substantially~~ identical.

10. (Currently Amended) A process for preparing an acrylate pressure-sensitive adhesive of claim 1, said process comprising polymerizing the acrylates and comonomers in the presence of at least one organic solvent or in bulk, the polyacrylate-coated particles of silicate and/or of silica gel being mixed in.

11. (Currently Amended) The process of claim 10, wherein polyacrylate-coated particles of silicate and/or of silica gel having a maximum size of 50 nm are mixed in.

12. (Currently Amended) The process of claim 10, wherein the polyacrylate-coated particles of silicate and/or of silica gel are mixed in with a weight fraction of 0.5 to 25 relative to unfilled silicate/silica gel.

13. (Currently Amended) The process of claim 10, wherein ~~the~~ particles of silicate and/or of silica gel are functionalized with a free-radical initiator in an upstream operation.

14. (Currently Amended) The process of claim 10, wherein the polyacrylate-coated particles of silicate and/or of silica gel are mixed in during or after the polymerization.

15. (Currently Amended) The process of claim 10, wherein ~~the particles of silicate and/or of silica gel are coated with a polymer,~~ the polyacrylate of the acrylate pressure-sensitive adhesive and of the polyacrylate-coated particle coating ~~being~~ substantially are identical.

16. (Previously Presented) The process of claim 10, which further comprises crosslinking the acrylate pressure-sensitive adhesive by UV irradiation in the range from 200 to 400 nm.

17. (Previously Presented) The process of claim 16, wherein the acrylate pressure-sensitive adhesive is crosslinked by ionizing radiation or by thermal crosslinking.

18. (Canceled)

19. (Previously Presented) A pressure-sensitive adhesive tape comprising the acrylate pressure-sensitive adhesive of claim 1.

20. (Previously Presented) A bonding method comprising applying a pressure-sensitive adhesive tape of claim 19 to a substrate.

**CONDITIONAL PETITION FOR EXTENSION OF TIME**

If entry and consideration of the amendments above requires an extension of time, Applicants respectfully request that this be considered a petition therefor. The Commissioner is authorized to charge any fee(s) due in this connection to Deposit Account No. 14-1263.

**ADDITIONAL FEE**

Please charge any insufficiency of fees, or credit any excess, to Deposit Account No. 14-1263.